

# SHOP ESSENTIALS PROMOTION!

## ELECTRONIC DIGITAL CALIPERS

- Large LCD display
- Hardened stainless steel body
- Precision adjustments for accurate measurements
- Lock screw to hold slide in position
- Inch/millimeter conversion
- Includes two batteries
- Deluxe storage case with foam inserts



TLV181

**aurora tools**

| Model No. | Head Material | Measurement Range" | Jaw Depth Outside" | Jaw Depth Inside" | Promo Price |
|-----------|---------------|--------------------|--------------------|-------------------|-------------|
| TLV181    | Plastic       | 0 - 6              | 1-9/16             | 13/16             | 33.50       |
| TGZ370    | Zinc alloy    | 0 - 6              | 1-9/16             | 13/16             | 45.50       |
| TJZ861    | Zinc alloy    | 0 - 8              | 1-13/16            | 1                 | 55.25       |
| THZ769    | Zinc alloy    | 0 - 12             | 2-3/8              | 1                 | 99.99       |

## OUTDOOR VINYL EXTENSION CORDS

- Extra Heavy-Duty
- 3-conductor SJTW, 300-V grounding
- Vinyl jacket protects against rough use, chemicals, and moisture and provides added flexibility
- Single tap
- Colour: Yellow

XC485



**aurora tools**




| Model No. | Length' | AWG  | Amps | Watts | Promo Price |
|-----------|---------|------|------|-------|-------------|
| XC485     | 25      | 12/3 | 15   | 1875  | 28.99       |
| XC486     | 50      | 12/3 | 15   | 1875  | 50.99       |
| XC487     | 100     | 12/3 | 15   | 1875  | 95.99       |

## HEAVY-DUTY OSCILLATING FANS

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal model features adjustable height and heavy-duty round base for added stability
- 9.8' SJT power cord
- Diameter: 30"
- Open motor type

EA667



EA666



| Model No. | Description | High  | CFM Med | Low  | Promo Price |
|-----------|-------------|-------|---------|------|-------------|
| EA666     | Pedestal    | 13200 | 7321    | 4758 | 449.00      |
| EA667     | Wall Mount  | 13400 | 7805    | 5070 | 375.00      |

## SPEEDGLAS™ 9100 WELDING HELMET & AUTO-DARKENING FILTER

- Battery Life: Up to 1800 hours
- Grab and go with auto-on
- Two memory modes that allow you to set individual settings for dark shade
- Arc detection sensitivity is adjustable



SGC239



SGC237



| Model No. | MFG No.          | Description     | Promo Price |
|-----------|------------------|-----------------|-------------|
| SGC239    | 06-0100-30ISW-CA | Helmet & Filter | 599.00      |
| SGC237    | 06-0000-30I-CA   | Filter Only     | 575.00      |

Pricing in effect until August 31, 2020 or while quantities last. Taxes and freight extra.  
Prices are subject to change, and may vary without prior notice. Issue #SDW220042NA

## AP100 SERIES PAINT BRUSHES

- 100% black polyester bristles
- Solid plastic handle
- Tin-plated ferrule
- Well-suited for latex-based paints



**aurora tools®**

| Model No. | Width" | Promo Price |
|-----------|--------|-------------|
| KP307     | 1      | 0.68        |
| KP308     | 2      | 1.05        |

## AP200 SERIES PAINT BRUSHES

- Pure white bristles
- Solid plain wood handle
- Tin-plated ferrule
- Well-suited for oil-based paints



**aurora tools®**

| Model No. | Width" | Promo Price |
|-----------|--------|-------------|
| KP306     | 0.5    | 0.30        |
| KP297     | 1      | 0.38        |
| KP298     | 2      | 0.56        |
| KP299     | 3      | 0.98        |

## AP300 SERIES PAINT BRUSHES

- Suited for oil-based paints
- Natural bristles
- Plastic handle
- Tin-plated ferrule



**aurora tools®**

| Model No. | Width" | Promo Price |
|-----------|--------|-------------|
| KP300     | 1      | 0.71        |
| KP301     | 2      | 1.09        |
| KP302     | 3      | 1.88        |
| KP303     | 4      | 2.66        |

## PAINTERS MASKING TAPE

- High quality painting tape adheres to multiple surfaces
- Reliable adhesion resists paint bleed-through
- Removes cleanly in one piece
- Length: 55 m (180')
- Colour: Green




**aurora tools®**

PF690

| Model No. | Width      | Promo Price |
|-----------|------------|-------------|
| PF690     | 25 mm (1") | 2.99        |
| PF691     | 50 mm (2") | 5.99        |

## ROLLER FRAMES

- Wire gauge construction
- Plastic handle



**Rubberset®**

| Model No.                     | MFG No.  | Description             | Promo Price |
|-------------------------------|----------|-------------------------|-------------|
| <b>WIDTH: 190 mm (7-1/2")</b> |          |                         |             |
| NA185                         | 70547075 | Light Duty 4-Wire Gauge | 3.30        |
| <b>WIDTH: 240 mm (9-1/2")</b> |          |                         |             |
| NA187                         | 70549095 | Light Duty 5-Wire Gauge | 3.58        |
| NA206                         | 70819995 | Heavy Duty 5-Wire Gauge | 4.84        |
| NA207                         | 70829595 | Super Pro 5-Wire Gauge  | 7.77        |

## SLEEVES

- For latex or oil paint



**Rubberset®**

| Model No.                                 | MFG No.  | Description | Size mm | in    | NAP (mm) | Promo Price |
|---|----------|-------------|---------|-------|----------|-------------|
| <b>MULTI-USE SLEEVES, POLYESTER FIBRE</b> |          |             |         |       |          |             |
| NA193                                     | 70602095 | Smooth      | 240     | 9-1/2 | 6        | 3.14        |
| NA194                                     | 70602195 | Semi-Smooth | 240     | 9-1/2 | 10       | 3.55        |
| <b>ONE COAT SLEEVES, PHENOLIC CORE</b>    |          |             |         |       |          |             |
| ND342                                     | 70600875 | Very Smooth | 190     | 7-1/2 | 6        | 3.38        |
| ND899                                     | 70600975 | Smooth      | 190     | 7-1/2 | 10       | 3.47        |
| NI554                                     | 70601075 | Semi-Smooth | 190     | 7-1/2 | 13       | 3.72        |
| ND900                                     | 70600095 | Very Smooth | 240     | 9-1/2 | 6        | 4.30        |
| ND901                                     | 70600195 | Smooth      | 240     | 9-1/2 | 10       | 4.38        |
| ND902                                     | 70600395 | Semi-Smooth | 240     | 9-1/2 | 13       | 4.38        |

## INDUSTRIAL QUICK-MARK™ INVERTED MARKING PAINT

- Bold, bright and visible markings in one pass
- Adheres to gravel, concrete, grass and soil
- Advanced UV-resistant, fast drying formula that will not fade in extreme sun and will penetrate and adhere to hot, cold or wet surfaces
- VOC compliant
- Container Size: 20 oz.
- Net Fill: 17 oz.



NC325



| Model No. | MFG No. | Colour | Swatch | Promo Price |
|-----------|---------|--------|--------|-------------|
|-----------|---------|--------|--------|-------------|

### WATER-BASED APWA COLOURS

|       |           |                 |   |      |
|-------|-----------|-----------------|---|------|
| NC332 | A03801004 | Utility Yellow  |  | 4.38 |
| NC331 | A03901004 | Brilliant White |  | 4.38 |

### WATER-BASED FLUORESCENT COLOURS

|       |           |              |   |      |
|-------|-----------|--------------|---|------|
| NC334 | A03610004 | Safety Red   |  | 4.38 |
| NC335 | A03612004 | Pink         |  | 4.38 |
| NC336 | A03620004 | Caution Blue |  | 4.38 |
| NC337 | A03630004 | Safety Green |  | 4.38 |
| NC338 | A03650004 | Red/Orange   |  | 4.38 |
| NC333 | A03700004 | Orange       |  | 4.38 |

### SOLVENT-BASED APWA COLOURS

|       |           |                        |  |      |
|-------|-----------|------------------------|--|------|
| NC328 | A03611007 | Red                    |   | 4.83 |
| NC326 | A03621007 | Blue                   |   | 4.83 |
| NC329 | A03631007 | Green                  |   | 4.83 |
| NC327 | A03731007 | Bright Orange          |   | 4.83 |
| NC325 | A03821007 | High Visibility Yellow |   | 4.83 |
| NC324 | A03900007 | Utility White          |  | 4.83 |

### SOLVENT-BASED FLUORESCENT COLOURS

|       |           |            |   |      |
|-------|-----------|------------|---|------|
| NC322 | A03613007 | Safety Red |  | 4.83 |
| NC323 | A03614007 | Neon Green |  | 4.83 |
| NE260 | A03615007 | Purple     |  | 4.83 |
| NE262 | A03622007 | Hot Pink   |  | 4.83 |
| NC320 | AT3701007 | Red/Orange |  | 4.83 |
| NC321 | A03702007 | Orange     |  | 4.83 |

Note: Colours may not be exactly as show







KP459

## CONSTRUCTION MARKING PAINT

- Water-based
- Sprays at any angle: upright, horizontal, inverted
- Surface coverage: 400 linear feet at 1"
- Size Can (Net): 20 oz. (15 oz.)



| Model No. | MFG No. | Colour | Swatch | Promo Price |
|-----------|---------|--------|--------|-------------|
|-----------|---------|--------|--------|-------------|

|       |        |                        |   |      |
|-------|--------|------------------------|---|------|
| KP459 | 264693 | Clear                  |  | 4.45 |
| KP452 | 264692 | White                  |  | 4.45 |
| KP453 | 264696 | Safety Red             |  | 4.45 |
| KP455 | 264694 | Caution Blue           |  | 4.45 |
| KP456 | 264695 | High Visibility Yellow |  | 4.45 |
| KP457 | 264699 | Fluorescent Red Orange |  | 4.45 |
| KP458 | 264700 | Fluorescent Green      |  | 4.45 |
| KP454 | 264702 | Fluorescent Pink       |  | 4.45 |
| KP460 | 264697 | Fluorescent Orange     |  | 4.45 |

Note: Colours may not be exactly as show

NC310



Cans not included

NC309

## MARKING WANDS

- Constructed of durable, rugged plastic and lightweight steel
- Comfortable pistol grip for easy handling and marking
  - Apply a uniform 1" to 1-1/2" width of paint



| Model No. | MFG No. | Description                      | Promo Price |
|-----------|---------|----------------------------------|-------------|
| NC309     | K07095  | 12" Spotter Hand Held Short Wand | 32.49       |
| NC310     | K07096  | 34" Hand Held Long Wand          | 35.99       |

## LINE-UP® STRIPING PAINT

- **Solvent-based:** For striping asphalt concrete, curbs or other smooth to hard surfaces
- **Water-based:** Non-burning formula, safe on all grass fields
- VOC compliant, free of lead hazards
- Container Size: 20-oz.
- Net Fill: 18 oz.

NE335



| Model No.            | MFG No.   | Colour         | Swatch  | Promo Price |
|----------------------|-----------|----------------|---|-------------|
| <b>SOLVENT-BASED</b> |           |                |   |             |
| NE335                | K08300007 | Highway White  |  | 8.55        |
| NE336                | K08301007 | Highway Yellow |  | 8.55        |
| NE337                | K08302007 | Handicap Blue  |  | 8.55        |
| NE338                | K08303    | Firelane Red   |  | 8.55        |
| NE339                | K08304007 | Cover Up Black |  | 8.55        |

### WATER-BASED

|       |           |                 |   |      |
|-------|-----------|-----------------|---|------|
| NE333 | K08305    | Athletic White  |  | 6.49 |
| NE334 | K08306007 | Athletic Yellow |  | 6.49 |

Note: Colours may not be exactly as shown

## LINE-UP® STRIPING MACHINES

- 18-gauge, all-steel construction
- Provides a smooth ride on hard surfaces
- 2" to 4" wide stripes
- 12-can storage



Cans not included



NE341



NI441

### STRIPPING WAND

- For use on line touch up and stenciling

| Model No. | MFG No.   | Description        | Wheels" | Promo Price |
|-----------|-----------|--------------------|---------|-------------|
| NE340     | K08340    | For Pavement       | 7       | 199.99      |
| NE341     | K08350    | For Athletic Field | 10      | 199.99      |
| NI441     | K08360000 | 34" Striping Wand  | 3       | 47.99       |

## HEAVY-DUTY GARDEN SPADE SHOVEL

- 12-gauge carbon steel blade
- Forward turned step for extra strength
- Ergonomic grip
- Welded fulcrum for added leverage
- Blade Material: Carbon Steel
- Handle Material: Fibreglass
- Blade Size: 12" x 7-1/2"
- Handle Type: D-Grip
- Handle Length: 30-1/2"
- Overall Length: 42"

*aurora tools*



| Model No. | Promo Price |
|-----------|-------------|
| NJ143     | 20.95       |

## HEAVY-DUTY SHOVELS

- 12-gauge tempered carbon steel blade
- Durable straight wood handle
- Overall length: 60"
- Straight Handle

*aurora tools*



| Model No. | Description  | Blade Dim."    | Promo Price |
|-----------|--------------|----------------|-------------|
| NJ099     | Round Point  | 8-1/2 x 11-1/2 | 20.50       |
| NJ098     | Square Point | 9-1/4 x 11-1/2 | 20.50       |

## HEAVY-DUTY SHOVELS

- Heavy-duty, 12-gauge carbon steel blade
  - Forward turned step for extra strength
    - Ergonomic grip
- Welded fulcrum for added leverage
  - Blade Material: Carbon Steel
  - Handle Material: Fibreglass

*aurora tools*



| Model No.              | Description  | Blade Dim." | O.A. Length" | Promo Price |
|------------------------|--------------|-------------|--------------|-------------|
| <b>D-GRIP HANDLE</b>   |              |             |              |             |
| TLZ468                 | Square Point | 11 x 9      | 41           | 23.25       |
| <b>STRAIGHT HANDLE</b> |              |             |              |             |
| TLZ467                 | Round Point  | 11 x 9      | 56-1/2       | 24.50       |
| TLZ469                 | Square Point | 11 x 9      | 56-1/2       | 24.50       |

## BROADCAST SPREADER

- Steel tube frame construction with chrome plated hardware
- Heavy-duty nylon gear box increases product life span
- Setting control on handle for precise adjustments
- 12" x 4" pneumatic tires
- Coverage: 16,000 sq.ft.
- Comes with rain cover and screen
- Capacity: 100 lbs.

*aurora tools*



| Model No. | Promo Price |
|-----------|-------------|
| NJ142     | 159.00      |



## SCOOP SHOVELS

- Perfect for moving and scooping lightweight granulated materials
  - Lightweight construction for comfort and productivity
- Harwood handle with aluminum blade resistant to rust
  - Blade Size: 14" x 18"

*aurora tools*

| Model No. | Handle Type | Handle Length" | O.A. Length" | Promo Price |
|-----------|-------------|----------------|--------------|-------------|
| NM985     | D-Grip      | 24-1/2         | 46-5/8       | 28.95       |
| TYX063    | Straight    | 45-3/4         | 63-1/2       | 28.95       |

## LANDSCAPING SHOVELS

- 14-gauge tempered steel blade
- Durable fibreglass handle with rubber grip
  - Forward turned step for extra strength
    - Ergonomic grip

*aurora tools*



| Model No.              | Description  | Blade Dim."    | O.A. Length" | Promo Price |
|------------------------|--------------|----------------|--------------|-------------|
| <b>D-GRIP HANDLE</b>   |              |                |              |             |
| NJ093                  | Round Point  | 11 x 8-1/2     | 42           | 16.25       |
| NJ094                  | Square Point | 11-1/2 x 8-1/2 | 42           | 16.25       |
| <b>STRAIGHT HANDLE</b> |              |                |              |             |
| TLZ465                 | Round Point  | 11 x 8-1/2     | 56           | 17.25       |
| NJ095                  | Square Point | 11-1/2 x 8-1/2 | 56           | 17.25       |



## MOP BUCKET & WRINGERS

- Handles and wide rounded spout facilitate emptying
- Visible caution sign on side of bucket
- 3" casters for easy mobility
- Colour: Yellow
- Capacity: 9.5 US Gal. (38 qt.)

JG812



| Model No.       | Description | Promo Price |
|-----------------|-------------|-------------|
| <b>BUCKET</b>   |             |             |
| JG812           | Bucket      | 57.95       |
| <b>WRINGERS</b> |             |             |
| JG809           | Side Press  | 40.95       |
| JG810           | Down Press  | 43.50       |

## TUFF-JOB™ DOUBLE RE-CREPE WIPERS

- Double re-crepe rolls are highly absorbent and leave surfaces streak-free
- An excellent option for oil and grease clean-up
- Available in a jumbo roll for high capacity work areas
- Type: All-Purpose
- Sheet Length: 12"
- Sheet Width: 13"
- Colour: White
- Ply: 1
- Sheets/Roll: 877

Cascades PRO  
Tuff-Job™



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| JD397     | W410    | 89.99       |

## WET/DRY VACUUM WITH SVX2 MOTOR TECHNOLOGY

- Heavy-duty power in a convenient portable size
- Hose attaches to the rear blower port allowing you to blow the dirt out of hard to reach places
- Comes with a 1-1/4 inch diameter accessory assortment including 7 foot locking hose, two extension wands, 10 inch floor nozzle, gulper nozzle, crevice tool, round brush, and floor nozzle with settings for bare or carpeted floors
- Material: Polypropylene
  - Tank Capacity: 4 US Gal. (15 Litres)
  - Peak HP: 5.5 HP
- Motor Stage: 1-Stage
  - Air Flow: 80 CFM



shop-vac

| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| JK895     | 5914000 | 119.00      |

## ROLLABLE CONTAINERS

- Durable polyethylene construction is resistant to chipping and peeling
- Easy to grip handles
- Wheels allow for the efficient movement of heavy contents
- Capacity: 65 US gal.

JH478

JH479



| Model No. | Colour | Promo Price |
|-----------|--------|-------------|
| JH478     | Blue   | 111.00      |
| JH479     | Grey   | 111.00      |

## INDUSTRIAL MEDIUM SWEEP BROOMS

- Bristle Material: Tampico



JC194



JL009

JL010



| Model No.                  | MFG No. | Length" | Promo Price |
|----------------------------|---------|---------|-------------|
| JC194                      | 6318    | 18      | 9.75        |
| JC195                      | 6324    | 24      | 11.75       |
| JC196                      | 6336    | 36      | 20.95       |
| <b>BAMBOO BROOM HANDLE</b> |         |         |             |
| JL009                      | JL-009  | 54      | 2.79        |
| JL010*                     | JL-010  | 60      | 4.29        |

\* With metal threads

## CUT END WET MOPS

- High grade cotton yarn is durable and absorbent with excellent floor drying qualities, increasing worker productivity and safety
- Good quality, fast drying poly head band
- Cotton industrial narrow band wet mops are economical and great for general purpose cleaning
  - Fan-Foot construction allows for maximum floor coverage

JB668



JB671



| Model No.                        | MFG No. | Size oz. | Promo Price |
|----------------------------------|---------|----------|-------------|
| JB668                            | 1616    | 16       | 4.75        |
| JB669                            | 1620    | 20       | 5.09        |
| JB670                            | 1624    | 24       | 5.99        |
| JB671                            | 1632    | 32       | 8.29        |
| <b>54" FIBREGLASS MOP HANDLE</b> |         |          |             |
| JB721                            | 16574   | -        | 16.15       |

## PYTHONRAP™ CABLE COVER



- Nylon cover
- Full-length zipper
- 22' L x 4" W



| Model No. | Promo Price |
|-----------|-------------|
| NT887     | 29.95       |

## CABLE PROTECTOR

- Lightweight durable leather with Kevlar® sewn seams for flexibility and strength
- For TIG, MIG, plasma and flux-cored torch cable/hose assembly
  - Metal snaps every 3"
  - 22' L x 4" W



| Model No. | Promo Price |
|-----------|-------------|
| NP520     | 49.95       |

## SAFETUBE® ROD CANISTERS

- Protects electrodes from dirt, grease and moisture
- Pressure fitted O-ring provides a watertight seal
- Withstands electrodes heated to 250°F
- Requires only a quarter turn to remove cap



382-4010



TTV109



| Model No. | MFG No. | Capacity                        | Promo Price |
|-----------|---------|---------------------------------|-------------|
| 382-4010  | 1205441 | Up to 10 lbs. of 14" Electrodes | 10.50       |
| 382-4040  | 1205455 | Up to 15 lbs. of 18" Electrodes | 15.50       |
| TTV109    | 1205488 | Up to 15 lbs. of 36" TIG Rods   | 26.50       |

## 4-PC. WELDING CLAMP SET

- Includes:
  - TJZ096 C-Clamp with swivel pad - 6"
  - TJZ097 C-Clamp with swivel pad - 11"
  - TJZ098 Locking welding clamp - 9"
  - TJZ099 Locking sheet metal tool - 8"



TJZ096/  
TJZ097



TJZ099




TJZ098

*aurora tools®*

| Model No. | Promo Price |
|-----------|-------------|
| TLV133    | 59.95       |

## WELDING HOSE REELS

- Heavy-duty, reinforced steel stampings for increased strength
- 1/4" oxygen and acetylene twin hose
- Leakproof double O-ring seals
- Kinkless, oil resistant high quality grade R hose
- Drive type: Spring
- Max. PSI: 300
- Oxygen/acetylene inlet and outlet: 9/16" x 18 UNF (F)



TLZ487

*aurora tools®*

| Model No. | Hose Length' | W"    | Dimensions        | Promo Price |
|-----------|--------------|-------|-------------------|-------------|
|           |              |       | x D" x H"         |             |
| TLZ487    | 25           | 8     | x 14-3/4 x 13-5/8 | 125.00      |
| TLZ488    | 50           | 8-5/8 | x 20-1/2 x 20-1/2 | 169.00      |

## SPIRAL TIP CLEANERS

- Quality aluminum case
- Cleaning data on back of case
- Includes hardened steel file



NT641

| Model No. | Description  | No. of Cleaners | Promo Price |
|-----------|--------------|-----------------|-------------|
| NT641     | Standard Set | 12              | 2.49        |
| TTV223    | King Set     | 13              | 2.39        |

## COMBOFRAME ADJUSTABLE MODULAR WELDING SCREENS


### FRAMES

- High durability with extreme versatility
- Includes 360° swivel connectors that allow various configurations
- Easy assembly, no tools required

2 screens shown,  
sold per screen

### LAVASHIELD™ CURTAINS

- Specially formulated 16-mil thick vinyl
- NT894 and NT895: 25-mil thick cotton duck canvas
- Grommets every 12" (30.5 cm) interval
- Screen edges are hemmed with DuPont® Kevlar® stitching
- Resists UV rays, flame and abrasion



### LAVASHIELD™ CURTAINS & FRAMES

| Model No.                    | Dim. W' x H' | UV Resistance | Colour | Promo Price   |
|------------------------------|--------------|---------------|--------|---------------|
| <b>HIGH TRANSPARENCY</b>     |              |               |        |               |
| NT888                        | 6 x 6        | Moderate      | Yellow | 110.89/Screen |
| NT889                        | 8 x 6        | Moderate      | Yellow | 118.29/Screen |
| NT890                        | 6 x 6        | Moderate      | Orange | 110.89/Screen |
| NT891                        | 8 x 6        | Moderate      | Orange | 118.29/Screen |
| <b>MODERATE TRANSPARENCY</b> |              |               |        |               |
| NT892                        | 6 x 6        | Moderate      | Green  | 110.89/Screen |
| <b>OPAQUE TRANSPARENCY</b>   |              |               |        |               |
| NT894                        | 6 x 6        | Maximum       | Olive  | 166.89/Screen |
| NT895                        | 8 x 6        | Maximum       | Olive  | 188.89/Screen |

## 4 IN 1 CUTTING ATTACHMENT

- Converts any standard torch into an accurate convenient multi-use tool
- Cut perfect circles up to 25" in diameter
- Make precision straight edge and end cuts
  - Adjustable guide wheels provide a steady base making it easy to follow irregular patterns and odd cuts

weldcote  
metals




| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TTV221    | 4N1     | 29.95       |

## THREE-FLINT LIGHTERS

- Triangular flint holder easily rotatable for a fresh flint
- Flint assembly can be replaced with a Shurlite® three flint renewal
- A large hood for trapping flammable gases for quick ignition
- The round file is easily rotatable for a fresh striking surface

322-1240

**SHURLITE**



| Model No. | MFG No. | Description                 | Promo Price |
|-----------|---------|-----------------------------|-------------|
| 322-1240  | 4501    | Spark Lighter               | 8.49        |
| 322-1320  | 5012X   | Three-Flint Renewal, 4/Pkg. | 5.85/Pkg.   |

## WORKER KIT

- Includes: #1 Contour® Marker, #7 Centering Head, #8 Pro-Mag level, standard Radius Marker, square soapstone, holder and lockable metal carrying case

**CURV-O-MARK®**

| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TTT484    | 20664   | 289.00      |



## STEELWORKER® CLASSIC WELDING & CUTTING OUTFIT W/TOOL BAG

- Torch features solid forged head, brazed triangular tube design, ease-on cutting valve and protected torch union
  - Welds up to 1/2" and cuts up to 5" with larger tips
  - Includes: Torch handle (85), mixer (D-85), cutting attachment (72-3), cutting tip (6290-1AC), welding tip (23A90-5), single stage 0-100 PSIG oxygen regulator, single stage 0-15 PSIG fuel gas regulator, 20' x 3/16" hose, goggles and striker



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| TTU521    | 4403224 | 595.00      |

## WRAP-A-ROUNDS

- An inexpensive tool for marking straight lines around pipe, or for use as a straight edge
- Made of flexible gasket material
- Resistant to heat and cold
- Asbestos free with service temperature of up to 350°F



430-2330

**CURV-O-MARK®**

| Model No. | MFG No. | Size     | Dim. W" x L' | Pipe Diameter | Promo Price |
|-----------|---------|----------|--------------|---------------|-------------|
| 430-2330  | 14752   | Medium   | 3.88 x 4     | 3" to 6"      | 13.25       |
| 430-2370  | 14753   | Large    | 3.88 x 6     | 3" to 10"     | 13.75       |
| 430-2410  | 14754   | X-Large  | 5 x 7        | 4" to 12"     | 17.75       |
| 430-2450  | 14756   | 2X-Large | 5 x 9        | 6" to 16"     | 25.95       |



## HEAVY-DUTY GENERAL PURPOSE PREMIUM COWHIDE WELDING GLOVES

- Premium quality grain cowhide leather construction with split cowhide leather palm
- Unlined palm for increased comfort and dexterity
- 6" gauntlet cuff for increased protection
- Reinforced thumb extends wear life
- Thumb Style: Straight
- Cut Pattern: Gunn

SDL996



| Model No. | Size    | Promo Price |
|-----------|---------|-------------|
| SDL995    | Medium  | 7.95/Pair   |
| SDL996    | Large   | 8.15/Pair   |
| SDL997    | X-Large | 8.59/Pair   |

## SOFTOUCH™ PIGSKIN TIG WELDING GLOVES

- Seamless index finger construction provides unobstructed control over small diameter welding rods and ultra light TIG torches
- Extra long cuff offers wrist and forearm protection against heat
- 4" split pigskin cuff, seamless index finger
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Cuff Style: Gauntlet
- Thumb Style: Straight
- Cut Pattern: Clute



610-2008

| Model No. | Size   | Promo Price |
|-----------|--------|-------------|
| 610-2008M | Medium | 14.29/Pair  |
| 610-2008  | Large  | 14.55/Pair  |

## HIGH HEAT HAND SHIELDS

- Aluminized PFR rayon reflects 95% radiant heat
- 5-ply DuPont® Kevlar® sewn and split cowhide backing for extra durability
- Leather and elastic strap system
- Grade: Premium Quality
- Sold individually

SE549



| Model No. | Promo Price |
|-----------|-------------|
| SE549     | 9.65/Shield |

## COMFOFLEX® PEARL DEERSKIN WELDING GLOVES

- 14-1/2" incredibly soft, genuine North American deer hides
- Flame retardant, air cushioned, sweat absorbent lining
- Thick pliable layer of protection that easily molds to your hand for added comfort
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Leather Palm Type: Split Deerskin
- Thumb Style: Wing
- Cut Pattern: Gunn



| Model No. | Size  | Promo Price |
|-----------|-------|-------------|
| 610-2850  | Large | 36.49/Pair  |

## COMFOFLEX™ PREMIUM QUALITY WELDING GLOVES

- Heat and flame resistant shoulder split cowhide leather
- Fully sock lined for added comfort
  - Kevlar® stitched welted seams
- 13-1/2" long with reinforced thumb
  - Thumb Style: Straight
  - Cut Pattern: Gunn



| Model No. | Size  | Promo Price |
|-----------|-------|-------------|
| 610-0328  | Large | 10.45/Pair  |

## FABRICATOR GLOVES

- High-dexterity glove designed exclusively for intricate fabrication of sheet metal, welding and bodywork
- 100% genuine leather construction
- Three heat-resistant cowhide panels on heel, inside and outer edge of palm
- Fingertip reinforcements on index, middle and ring fingers
- CE approved
- Unlined
- Cuff Style: Hook and Loop



SAN869

| Model No. | MFG No.    | Size     | Promo Price |
|-----------|------------|----------|-------------|
| SAN869    | MFG-05-008 | Small    | 48.55/Pair  |
| SAN870    | MFG-05-009 | Medium   | 48.55/Pair  |
| SAN871    | MFG-05-010 | Large    | 48.55/Pair  |
| SAN872    | MFG-05-011 | X-Large  | 48.55/Pair  |
| SAN873    | MFG-05-012 | 2X-Large | 48.55/Pair  |



## WELDING BLANKETS

- 24-oz. black fibreglass, vermiculite coated
- Heavy-duty, general purpose welding blankets
- Provides protection from sparks, spatter and slag
- Temperature Resistance: 1200°F
- ANSI FM-4950 certified for use in vertical applications
- Weight Per Square Yard: 24 oz.



146-1367

**WILSON**

| Model No. | MFG No. | W' | Dim. x L' | Promo Price |
|-----------|---------|----|-----------|-------------|
| 146-1312  | 36302   | 6  | x 6       | 55.50       |
| 146-1367  | 36318   | 6  | x 8       | 75.50       |

## V90 SHIELD\* GOGGLES

- Features the Monogoggle\* XTR\* with indirect ventilation and a polycarbonate shield for full face protection
  - Shield detaches from the goggles
- Curved face shield conforms to shape of face offering added protection
  - Can be used over most prescription eyeglasses
- Meets ANSI impact standard Z87.1+
  - Band Type: Neoprene



TTT954



TTT955

**KLEENGUARD™**

| Model No. | MFG No. | Description        | Promo Price |
|-----------|---------|--------------------|-------------|
| TTT954    | 18629   | Clear Anti-Fog     | 22.57       |
| TTT955    | 18631   | Shade 3.0 Anti-Fog | 31.50       |
| TTT956    | 18633   | Shade 5.0 Anti-Fog | 32.62       |

## WELSAFE® NO. 447 ANTI-FATIGUE MATS

- Designed specifically for welding
- Repels sparks and hot metal shards
- Buoyant sponge base alleviates leg and back stress
- Bevelled edges and pebbled surface for safety and extra traction
- 9/16" thick
- 4-year warranty



**WEARWELL™**

| Model No. | MFG No.       | Dimensions W' x L' | Promo Price |
|-----------|---------------|--------------------|-------------|
| NG181     | 447.916X2X3BK | 2 x 3              | 75.00       |
| NG182     | 447.916X3X5BK | 3 x 5              | 185.00      |

## LAVA BROWN LEATHER BIB APRONS

- Heat and flame-resistant leather is made from durable side split cowhide
- Designed to allow even weight distribution on the user to reduce fatigue
- Sewn with Kevlar thread
- Electrical insulated snaps
- Certification: EN ISO 11611:2015 Class 2/A1+A2



TTU393

| Model No. | Size  | Promo Price |
|-----------|-------|-------------|
| TTU393    | 36" L | 47.50       |
| TTU394    | 42" L | 52.50       |
| TTU395    | 48" L | 61.95       |



## WELDERS' CAPS

- Athletic mesh lining to allow sweat vapour to quickly evaporate
- Preshrunk and presoftened lightweight fabric, flame retardant until washed
  - Air-cushioned front lining for comfort and sweat absorbency
- Assorted styles include: Happy Hour, Paradise, Camo and Wild
  - 12 per package



Happy Hour



Paradise



Camo



Wild



| Model No. | Diameter" | Promo Price |
|-----------|-----------|-------------|
| NT838     | 7-1/8     | 53.95/Pkg.  |
| NT839     | 7-1/4     | 53.95/Pkg.  |
| NT840     | 7-3/8     | 53.95/Pkg.  |
| NT841     | 7-1/2     | 53.95/Pkg.  |
| NT842     | 7-5/8     | 53.95/Pkg.  |

## GOLDEN BROWN LEATHER JACKETS

- Made of heat and abrasion-resistant select split cowhide
- Sewn with Kevlar® thread for added seam strength
- Roll-up collar with hook & loop closure and welted shoulder seams
- Reinforced double-leather snap panel



| Model No. | Size     | Chest Measurements" | Promo Price |
|-----------|----------|---------------------|-------------|
| TTU384    | Medium   | 40-42               | 84.00       |
| TTU385    | Large    | 44-46               | 84.00       |
| TTU386    | X-Large  | 48-50               | 84.00       |
| TTU387    | 2X-Large | 52-54               | 91.00       |
| TTU388    | 3X-Large | 56-58               | 99.00       |

## ADJUSTABLE WRENCHES

- Superior grade chrome vanadium steel
- Precision-machined jaws
- Slim profile head slips into cramped quarters
- Tight tolerances ensure close fitting, wobble-free action
- Smooth, non-sticking mechanism
- Black nickel finish resists rust
- Meets ANSI standards
- Handle Type: Cushion

**aurora tools®**




| Model No. | Jaw Type   | Max. Jaw Width" | Length" | Promo Price |
|-----------|------------|-----------------|---------|-------------|
| TJZ100    | Standard   | 1               | 6       | 11.25       |
| TJZ101    | Reversible | 1-1/4           | 8       | 16.25       |
| TJZ102    | Reversible | 1-3/8           | 10      | 20.25       |
| TJZ103    | Reversible | 1-5/8           | 12      | 26.25       |

## HEAVY-DUTY BENCH VISES

- Fixed base
- 80000 PSI Industrial grade ductile iron
- Built-in pipe jaws hold round objects
- Hardened anvil striking surface used for forming and shaping
- Safety locking plate in base prevents the vise from slipping

**aurora tools®**



| Model No. | Jaw Width" | Jaw Opening" | Throat Depth" | Promo Price |
|-----------|------------|--------------|---------------|-------------|
| TYL093    | 4          | 4-1/2        | 2-7/10        | 129.00      |
| TYL094    | 5          | 5-1/2        | 3-3/10        | 175.00      |
| TYL095    | 6          | 6-1/2        | 3-1/2         | 249.00      |
| TYL096    | 8          | 8-1/2        | 4             | 295.00      |

## 5-PC. FILE SET W/ERGONOMIC HANDLES

- Rubber-coated ergonomic handles for better comfort and control
- General purpose selection for home and professional use
- Includes:
  - 6"/150 mm slim taper file
  - 8"/200 mm flat bastard file
  - 8"/200 mm mill bastard file
  - 10"/250 mm mill bastard file
  - 10"/250 mm half-round bastard file

**CRESCENT NICHOLSON**



| Model No. | MFG No.  | Promo Price |
|-----------|----------|-------------|
| TBH218    | 22040HNN | 59.95       |

## DEAD BLOW HAMMERS

- 1-piece urethane construction
- Completely enclosed steel shank
  - Shot-filled head
- High-visibility orange colour

**aurora tools®**



| Model No. | Head Wt. oz. | Promo Price |
|-----------|--------------|-------------|
| TJZ035    | 8            | 11.95       |
| TJZ036    | 16           | 12.95       |
| TJZ037    | 24           | 14.95       |
| TJZ038    | 32           | 17.95       |

## PIPE WRENCHES

- Drop-forged alloy steel jaws
- Durable ductile steel body provides the ultimate in performance
- Precision-milled sure gripping teeth
- Spring action ensures sure grip and quick release

**aurora tools®**



| Model No. | Length" | Pipe Capacity" | Promo Price |
|-----------|---------|----------------|-------------|
| TJZ106    | 8       | 1              | 9.25        |
| TJZ107    | 10      | 1-1/2          | 12.25       |
| TJZ108    | 12      | 2              | 15.25       |
| TJZ109    | 14      | 2              | 18.25       |
| TJZ110    | 18      | 2-1/2          | 23.25       |

## ENGINEERS MEASURING TAPE

- Red ABS plastic & ergonomic design provides durability and comfort
- Positive sliding lock holds tape securely while transferring measurement to work surfaces
- Protective nylon coating provides 2X blade abrasion resistance, protecting numbers & graduations
- Includes a steel belt clip
- Blade Length: 25'
- Blade Width: 1"
- Graduations: 1/16"
- Blade Colour: Yellow
- End Type: Self Adjusting End Hook
- Graduation Style Number: S1
- Graduation Style: Imperial

**Starrett®**



| Model No. | MFG No.        | Promo Price |
|-----------|----------------|-------------|
| UAF512    | KTX1-25-N-SP01 | 6.95        |

## HOLD DOWN CLAMPS

- Commonly used clamps in manufacturing
- Perfect for holding work pieces in place
- Durable steel construction
- Includes bonded neoprene-tipped spindle and flanged washers
- Open arm provides adjustable spindle location

**aurora tools®**

TLV626



| Model No.         | L"      | Base x W" | Holding Cap. lbs | Promo Price |
|-------------------|---------|-----------|------------------|-------------|
| <b>VERTICAL</b>   |         |           |                  |             |
| TLV625            | 1       | x 1-3/4   | 200              | 10.50       |
| TLV626            | 1-13/16 | x 1-7/16  | 375              | 11.30       |
| TLV627            | 1-7/8   | x 2-1/2   | 600              | 13.95       |
| <b>HORIZONTAL</b> |         |           |                  |             |
| TLV628            | 1-7/16  | x 1-7/16  | 200              | 9.95        |
| TLV629            | 1-3/8   | x 1-1/2   | 500              | 11.30       |

## PARALLEL JAW CLAMPS

- Aluminum die-cast handle with quick adjustment mechanism
- Clamp jaws are encased in non-marring, glue resistant polypropylene casing
  - Throat: 3-1/3" depth, 1-1/2" width
  - Clamping force: 2.5 kN (562 lbs.)

**aurora tools®**



TYB500

| Model No. | Clamping Capacity" | Promo Price |
|-----------|--------------------|-------------|
| TYB500    | 24                 | 48.95       |
| TYB501    | 40                 | 61.25       |

## MICROMETER TORQUE WRENCHES

- Pliable, elastomer handle grip for superior comfort and oil resistance
- Accurate in clockwise direction +/- 3% in upper 80% of the range
- Micrometer twist lock ring provides secure locking mechanism
- Sealed tear-drop head provides access and strength and keeps out contaminants

**GEARWRENCH**

TLV412



| Model No. | MFG No. | Drive Size" | Torque Range      | Promo Price |
|-----------|---------|-------------|-------------------|-------------|
| TLV412    | 85061   | 3/8         | 25 - 250 in.-lbs  | 129.00      |
| TLV413    | 85062   | 3/8         | 10 - 100 ft.-lbs. | 149.00      |
| TLV414    | 85066   | 1/2         | 30 - 250 ft.-lbs. | 169.00      |

## CUT COMPOUND SNIPS

- Designed for all-purpose cutting applications, for home or professional jobsite
- Latch secures blades for storage
- Rubberized hand grip for quality comfort
- Cutting Capacity: 18-Gauge Steel
- Overall Length: 10-1/4"

UAE007



**aurora tools®**

| Model No. | Cut Direction | Cut Length" | Colour | Promo Price |
|-----------|---------------|-------------|--------|-------------|
| UAE006    | Left          | 1-3/8       | Red    | 15.75       |
| UAE007    | Right         | 1-1/8       | Green  | 15.75       |
| UAE008    | Straight      | 1-1/2       | Yellow | 15.75       |

## 120-PIECE 1/4", 3/8" AND 1/2" DRIVE S.A.E./METRIC SOCKET AND WRENCH SET

- Chrome vanadium steel for extra strength and durability
- Includes:
  - 51 standard sockets, 8 deep sockets,
  - 8 torx sockets, 4 impact sockets,
  - 7 torx bits, 17 bit sockets,
  - 10 combination wrenches and 15 accessories
- Meets ANSI standards



**aurora tools®**

| Model No. | Promo Price |
|-----------|-------------|
| TLV361    | 179.00      |

## 10-PC. INSULATED TOOL SET

- Voltage Rating: 1000 V
- Meets the VDE insulated quality standard
- Included:
  - Slotted Screwdriver 7/32" x 5"
  - Slotted Screwdriver 5/32" x 4"
  - Slotted Screwdriver 3/32" x 3"
  - Phillips® Screwdriver #1 x 3-1/8"
  - Phillips® Screwdriver #2 x 4"
  - Pozidriv® Screwdriver #1 x 3-1/8"
  - Pozidriv® Screwdriver #2 x 4"
  - Lineman Plier, 6"
  - Long Nose Plier, 6"
  - Side Cutting Pliers, 6"



**aurora tools®**

| Model No. | Promo Price |
|-----------|-------------|
| TYP305    | 105.00      |



**aurora tools®**



## NYLON COIL AIR HOSES W/FITTINGS

- Light and easy to handle
- High impact and abrasion resistance
- Excellent elastic memory, can be stretched repeatedly yet return to original shape for convenient storage
- High visibility yellow

| Model No. | NPT (M)" | Length' | Hose I.D." | Max. Working Pressure PSI | Promo Price  |
|-----------|----------|---------|------------|---------------------------|--------------|
| TLZ150    | 1/4      | 25      | 1/4        | 200                       | <b>8.95</b>  |
| TLZ151    | 1/4      | 50      | 1/4        | 200                       | <b>13.95</b> |
| TLZ152    | 3/8      | 25      | 3/8        | 300                       | <b>15.95</b> |
| TLZ153    | 3/8      | 50      | 3/8        | 300                       | <b>24.95</b> |

## HOSE REELS

- For use with air and water
- Multi-position guide arm for multiple mounting options
- Kinkless, oil resistant high quality hose
- 300 maximum PSI



TLZ483

**aurora tools®**

| Model No. | Hose I.D." | Hose Outlet" (M) NPT | Hose Length' | Promo Price   |
|-----------|------------|----------------------|--------------|---------------|
| TLZ482    | 1/4        | 1/4                  | 35           | <b>159.00</b> |
| TLZ483    | 3/8        | 1/4                  | 25           | <b>169.00</b> |
| TLZ485    | 3/8        | 1/4                  | 50           | <b>269.00</b> |
| TLZ486    | 1/2        | 1/2                  | 50           | <b>279.00</b> |

## AIR FLUX CHIPPER & SCALER

- Lightweight compact design permits increased operator efficiency
- Paddle style trigger offers better speed control and precision
- Low noise, low vibration
- Durability and longer life
- Stroke: 1-1/2" (38 mm)
- Hose diameter: 3/8" (9.5 mm)
- Average air consumption: 9 CFM
- Air Inlet: 1/4" - 18 NPT
- Vibration Less Than: 10.2 m/s<sup>2</sup>



TLZ131



TLZ133

**aurora tools®**

| Model No. | Description | Includes          | Promo Price   |
|-----------|-------------|-------------------|---------------|
| TLZ133    | Chipper     | 35 mm Flat Chisel | <b>149.00</b> |
| TLZ131    | Scaler      | 19 Needles        | <b>159.00</b> |

## HEAVY-DUTY AIR COMPOSITE IMPACT WRENCHES

- Lightweight composite design minimizes operator fatigue
- Ergonomic grip reduces vibration
- Exhaust air outlet directs air away from operator
- Forward-reverse switch and high-low speed regulator
- Free speed: 10000 RPM
- Hose diameter: 3/8" (9.5 mm)
- Air inlet: 1/4" - 18 NPT



TLZ137

**aurora tools®**

| Model No.                | Average Air Consumption CFM | Torque Range ft.-lbs. | Promo Price   |
|--------------------------|-----------------------------|-----------------------|---------------|
| <b>3/8" SQUARE DRIVE</b> |                             |                       |               |
| TLZ137                   | 10.6                        | 90-280                | <b>239.00</b> |
| <b>1/2" SQUARE DRIVE</b> |                             |                       |               |
| TLZ138                   | 13.7                        | 400-1000              | <b>307.75</b> |

## 5" PNEUMATIC ANGLE GRINDER

- 10000 RPM
- 5 CFM
- 1/4"-18 NPT air inlet
- 3/8" hose size



**aurora tools®**

| Model No. | Promo Price   |
|-----------|---------------|
| THZ674    | <b>165.75</b> |

## 3" AIR CUT-OFF TOOL

- 21000 RPM; 0.45 HP
- 3 CFM
- 1/4"-18 NPT air inlet
- 3/8" hose size



**aurora tools®**

| Model No. | Promo Price  |
|-----------|--------------|
| THZ677    | <b>54.95</b> |

## HEAVY-DUTY TOOL BOXES

- ABS plastic latches
- 1 removable inner tray
- Polypropylene fabrication
- Deep storage compartments
- Padlock eye for safe storage
- Black

*aurora tools*



| Model No. | O.A. Dimensions<br>W" x D" x H" | Features                   | Promo Price |
|-----------|---------------------------------|----------------------------|-------------|
| TLV082    | 15 x 7 x 5-1/2                  | -                          | 14.99       |
| TLV083    | 17-1/2 x 9-1/2 x 8              | -                          | 22.99       |
| TLV084    | 17-1/2 x 9-1/2 x 8              | 2 Parts Boxes, 1 Organizer | 26.99       |
| TLV085    | 22 x 11 x 10-1/2                | 3 Organizers               | 33.99       |
| TLV086    | 22 x 11 x 14-1/2                | 3 Organizers, 2 Drawers    | 53.99       |
| TLZ117    | 5-1/2 x 5-1/2 x 1-1/2           | Parts Box                  | 3.49        |

## TOOL CARRIERS

- Material: Polyester



Tools sold separately



| Model No. | MFG No. | Description            | No. of Pockets | Promo Price |
|-----------|---------|------------------------|----------------|-------------|
| TEP215    | SW-1111 | All-Purpose Gear Bags  | 4              | 39.90       |
| TJZ969    | SW-1578 | Open Top 14" Soft Side | 21             | 67.90       |
| TEP217    | SW-1579 | Open Top 20" Soft Side | 27             | 86.50       |

## TOOL POUCHES



| Model No.                                   | MFG No. | No. of Pockets | Material  | Promo Price |
|---|---------|----------------|-----------|-------------|
| <b>MULTI-PURPOSE TOOL HOLDER</b>            |         |                |           |             |
| WI957                                       | PH-47   | 4              | Nylon     | 12.90       |
| <b>UTILITY POUCH</b>                        |         |                |           |             |
| TBN197                                      | PH-40   | 2              | Leather   | 10.50       |
| <b>MULTI-POCKET TOOL &amp; PHONE HOLDER</b> |         |                |           |             |
| TJZ972                                      | PL-99   | 4              | Polyester | 15.50       |
| <b>TOOL POUCH</b>                           |         |                |           |             |
| TSW497                                      | PH-38   | 1              | Leather   | 12.50       |

## WELDER'S BOX & SMALL CHEST

- Compact and portable
- Heavily reinforced 16-gauge steel construction with staked and welded steel hinges
- 30" W x 16" D x 12" H
- Capacity: 3.3 Cubic Feet
- TEP348 is a welder's box that offers a notched upper side for storing tools connected to supply hoses

**CRESCENT**  
**JOBBOX**



TEP348

| Model No. | MFG No. | Description       | Promo Price |
|-----------|---------|-------------------|-------------|
| TEP348    | 650990D | Welder's Box      | 229.00      |
| TEP349    | 659990  | Chest w/Hasp Lock | 269.00      |

## JOBSITE SHELF CABINETS

- Site-Vault™ security system
- Ez-Loader® anti-tip skid bolsters
- Heavy-duty doors with Grip-Rite™ channel
- Hand or foot-operated latch release system
- Heavy-duty high strength shelves
- Three 5/8" steel locking pins per door
- 60-1/8" L x 24-1/4" W x 60-3/4" H
- Usable cu. ft.: 47.5

**CRESCENT**  
**JOBBOX**

Tools sold separately



TEP168



TEP170

| Model No. | MFG No.  | Description                        | Promo Price |
|-----------|----------|------------------------------------|-------------|
| TEP168    | 1-694990 | 2 Doors, 24" Deep                  | 1899.00     |
| TEP170    | 1-697990 | 2 Doors, Tall Closet on Right Side | 2149.00     |

## HEAVY-DUTY JOBSITE CHESTS

- Site-Vault™ security system
- Ez-Loader® 7-gauge skid bolsters allow fork lift from any side
- Grip-Rite™ recessed lifting channel
- Heavily reinforced lid and body
- Textured powder paint finish



TEP092

**CRESCENT**  
**JOBBOX**

| Model No. | MFG No.   | Dim.<br>W" x D" x H" | Usable<br>Cu. Ft. | Promo Price |
|-----------|-----------|----------------------|-------------------|-------------|
| TEP092    | 1-652990  | 36 x 20 x 23-3/4     | 8.3               | 540.00      |
| TEP136    | 1-653990  | 42 x 20 x 23-3/4     | 9.3               | 589.00      |
| TEP137    | 1-654990  | 48 x 24 x 27-3/4     | 15.4              | 695.00      |
| TEP156    | 1-655990D | 60 x 24 x 27-3/4     | 19.3              | 869.00      |
| TEP157    | 1-656990  | 48 x 30 x 33-3/8     | 24.3              | 889.00      |
| TEP158    | 1-658990  | 72 x 24 x 27-3/4     | 23.2              | 975.00      |

## INDUSTRIAL-DUTY SCRATCH BRUSHES

- Wood handle
- Choice of carbon or stainless steel bristles



| Model No.                  | Bristles        | Rows   | Promo Price |
|----------------------------|-----------------|--------|-------------|
| <b>LONG HANDLE BRUSHES</b> |                 |        |             |
| NT607                      | Carbon Steel    | 3 x 19 | 2.39        |
| NT608                      | Carbon Steel    | 4 x 19 | 2.89        |
| NT611                      | Stainless Steel | 3 x 19 | 3.59        |
| NT612                      | Stainless Steel | 4 x 19 | 4.29        |
| <b>SHOE HANDLE BRUSHES</b> |                 |        |             |
| NT609                      | Carbon Steel    | 3 x 16 | 2.35        |
| NT610                      | Carbon Steel    | 4 x 16 | 2.45        |
| NT613                      | Stainless Steel | 3 x 16 | 4.35        |
| NT614                      | Stainless Steel | 4 x 16 | 4.59        |

## HYPER JOBBER LENGTH DRILL BIT SET

- Maintenance duty
- Right hand, 118° point
- General purpose used on steels, cast iron and most non-ferrous metals
- Machine and portable drilling applications
- Black oxide finish
- Steel case
- No. of Pieces: 29
- Size: 1/16" to 1/2" by 64ths



## CLARKSON OSBORN

| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| QF420     | ZD16829 | 68.99       |

## SILVER GRINDING WHEELS

- Ceramic grinding wheel that is designed to grind quickly through all types of metals
- Optimized for use on carbon steel and stainless steel
- 3M™ Precision-Shaped Ceramic Grain grinds fast and cool
- No plowing
- Thickness: 1/4"
- Type: 27



| Model No. | MFG No. | Dia." | Arbor Size" | Max. RPM | Promo Price |
|-----------|---------|-------|-------------|----------|-------------|
| NV210     | AB87455 | 4     | 3/8         | 15 300   | 3.05        |
| NV211     | AB87456 | 4     | 5/8         | 15 300   | 3.05        |
| NV212     | AB87453 | 4-1/2 | 7/8         | 13 300   | 3.15        |
| NV213     | AB87454 | 5     | 7/8         | 12 250   | 3.35        |
| NV214     | AB87450 | 6     | 7/8         | 10 200   | 6.80        |
| NV215     | AB87451 | 7     | 7/8         | 8 500    | 7.55        |
| NV216     | AB87452 | 9     | 7/8         | 6 650    | 11.50       |

## BENCH & PEDESTAL GRINDING WHEELS

- For general purpose grinding work on bench and pedestal grinders
- Grits 24 and 36 for fast and rough grinding
- Grit 46 for intermediate requirements
- Grits 60 and 80 for a finer finish work
- Arbor Size: 1"
- Type: 1



| Model No. | MFG No. | Dia." | Thickness" | Grit      | Max. RPM | Promo Price |
|-----------|---------|-------|------------|-----------|----------|-------------|
| VE775     | 12E324  | 6     | 3/4        | 36 Coarse | 4100     | 34.25       |
| VE776     | 12E325  | 6     | 3/4        | 46 Medium | 4100     | 34.25       |
| YB806     | 12E328  | 6     | 3/4        | 80 Fine   | 4100     | 34.25       |
| VE778     | 12E345  | 6     | 1          | 46 Medium | 4100     | 40.25       |
| VE786     | 12E545  | 8     | 1          | 46 Medium | 3600     | 60.75       |
| VE787     | 12E547  | 8     | 1          | 60 Fine   | 3600     | 60.75       |
| VE790     | 12E643  | 10    | 1          | 24 Coarse | 3600     | 88.75       |
| VE791     | 12E647  | 10    | 1          | 60 Fine   | 3600     | 88.75       |

## PREMIUM 2 IN 1 GRINDING WHEELS



- Type 27
- Manufacturer Series: Premium 3 star 2 in 1 wheel
- Offers comfort, high stock removal and long life
- Fast removal and operator comfort
- Used in various applications

| Model No. | MFG No. | D"    | x | Size T" x A" | Max RPM | Promo Price |
|-----------|---------|-------|---|--------------|---------|-------------|
| NU410     | 5293    | 4-1/2 | x | 9/32 x 7/8   | 13 300  | 3.75        |
| NU411     | 5313    | 5     | x | 9/32 x 7/8   | 12 250  | 4.15        |
| NU412     | 5330    | 6     | x | 9/32 x 7/8   | 10 200  | 5.15        |

## SILVER CUT-OFF WHEELS

- Ceramic cut-off wheel that is designed to cut quickly through all types of metals
- Optimized for use on carbon steel and stainless steel
- 3M™ Precision-Shaped Ceramic Grain cuts fast and cool
- No plowing



| Model No.      | MFG No. | Dia." | Thickness" | Arbor Size" | Max. RPM | Promo Price |
|----------------|---------|-------|------------|-------------|----------|-------------|
| <b>TYPE 1</b>  |         |       |            |             |          |             |
| NV195          | AB87457 | 3     | 0.035      | 1/4         | 25 465   | 1.85        |
| NV196          | AB87458 | 3     | 0.035      | 3/8         | 25 465   | 1.85        |
| NV197          | AB87459 | 3     | 0.060      | 3/8         | 25 465   | 1.85        |
| NV198          | AB87460 | 4     | 0.035      | 1/4         | 19 100   | 1.50        |
| NV199          | AB87461 | 4     | 0.035      | 3/8         | 19 100   | 2.00        |
| NV200          | AB87463 | 4     | 0.050      | 3/8         | 19 100   | 2.00        |
| NV201          | AB87462 | 4     | 0.060      | 3/8         | 19 100   | 2.00        |
| NV202          | AB87464 | 4-1/2 | 0.040      | 7/8         | 13 300   | 2.45        |
| NV203          | AB87465 | 4-1/2 | 0.045      | 7/8         | 13 300   | 2.39        |
| NV204          | AB87467 | 5     | 0.045      | 7/8         | 12 250   | 2.75        |
| NV205          | AB87469 | 6     | 0.045      | 7/8         | 10 200   | 4.15        |
| NV206          | AB87471 | 7     | 0.045      | 7/8         | 8 500    | 4.80        |
| <b>TYPE 27</b> |         |       |            |             |          |             |
| NV207          | AB87466 | 4-1/2 | 0.045      | 7/8         | 13 300   | 2.39        |
| NV208          | AB87468 | 5     | 0.045      | 7/8         | 12 250   | 2.79        |
| NV209          | AB87470 | 6     | 0.045      | 7/8         | 10 200   | 4.15        |



## HIGH VELOCITY FLOOR FAN

- All-metal construction
- Vertical pivot fan head
- Copper motor for longer lifetime
- Diameter: 20"
- No. of Speeds: 3
- HP: 1/5



| Model No. | High | CFM Med | Low  | Promo Price |
|-----------|------|---------|------|-------------|
| EA661     | 4900 | 4400    | 4150 | 119.00      |

## FLOOR FANS

- 3-speed, 120 V/60 Hz, 1/4 HP motor
  - All-metal construction
    - 3-prong plug with ground industrial wire
  - Rotates up for vertical airflow
    - Chrome finish

EA290



| Model No. | Dia." | High | CFM Med | Low  | Promo Price |
|-----------|-------|------|---------|------|-------------|
| EA528     | 16    | 2370 | 1950    | 1560 | 89.95       |
| EA290     | 18    | 4725 | 3850    | 2975 | 99.95       |

## LIGHT INDUSTRIAL DRUM FANS

- 120 V/60 Hz, 2-speed motor
- All-metal construction
- 6" casters with handle
- 6' SJT type power cord

EA286



| Model No. | Dia." | HP  | CFM High | Low  | Promo Price |
|-----------|-------|-----|----------|------|-------------|
| EA286     | 28    | 2/5 | 8050     | 6650 | 345.00      |
| EA288     | 36    | 3/5 | 11 200   | 9100 | 399.00      |

## LIGHT INDUSTRIAL DIRECT-DRIVE SLIM DRUM FANS

- All-metal construction, painted black & chrome with aluminum blades
- 6' SJT power cord
- 5" casters and easy-moving handle
- Open motor type
- 360° vertical tilt angle
- Motor: 120 V/60 Hz

EA778



| Model No. | Dia." | HP   | No. of Speeds | High | CFM Med | Low  | Promo Price |
|-----------|-------|------|---------------|------|---------|------|-------------|
| EA778     | 24    | 3/10 | 3             | 7770 | 6000    | 4500 | 169.00      |
| EB114     | 30    | 1/3  | 2             | 9500 | -       | 6700 | 229.00      |

## 20" HIGH VELOCITY PEDESTAL FAN

- 3-speed, 120 V/60 Hz, 1/5 HP motor
  - All-metal construction
- Chrome grill, black painted base
  - Head tilting capability of 360°
    - Adjustable height
  - 6' SJT type power cord



| Model No. | High | CFM Med | Low  | Promo Price |
|-----------|------|---------|------|-------------|
| EA289     | 5950 | 4550    | 3850 | 179.00      |

## OSCILLATING TOWER FAN

- Wide-angle oscillation
- Stable base
- Type: Pedestal
- No. of Speeds: 3
- Colour: Black
- Voltage: 120 V
- Power: 40 W
- Frequency: 60 Hz
- Overall Height: 32"



| Model No. | Dia." | Promo Price |
|-----------|-------|-------------|
| EA827     | 6     | 49.95       |





## HIGH VELOCITY OSCILLATING WALL FAN

- Adjustable tilting fan head
- Sliding switch at front of base
  - Can be used in oscillating or non-oscillating mode
  - Diameter: 20"
- No. of Speeds: 3
- Voltage: 120 V
  - HP: 1/5



| Model No. | High | CFM Med | Low  | Promo Price |
|-----------|------|---------|------|-------------|
| EA660     | 4800 | 4500    | 4000 | 145.00      |

## DUAL-POSITION FOLDABLE FAN

- Fan can be used as a pedestal fan or a floor fan
- Fully assembled fan
- All-metal construction painted black & chrome with aluminum blades
- Equipped with two casters for easy maneuverability
- HP: 1/4
- Motor: 120 V/60 Hz
- Drive System: Direct Drive
- Non-Oscillating



| Model No. | Diameter" | High | CFM Med | Low  | Promo Price |
|-----------|-----------|------|---------|------|-------------|
| EB116     | 24        | 7000 | 4500    | 3500 | 299.00      |

## HEAVY-DUTY FIXED BELT DRIVE DRUM FAN

- All-metal construction
- Fully enclosed motor
  - 12' power cord
  - HP: 3/4
- No. of Speeds: 2



| Model No. | Diameter" | High   | CFM Low | Promo Price |
|-----------|-----------|--------|---------|-------------|
| EA662     | 42        | 17 900 | 7400    | 699.00      |

## LIGHT INDUSTRIAL AIR CIRCULATING FANS

- 120 V
- All-metal construction, with densely chrome-plated guard
- 6' SJT power cord
- Non-oscillating
- No. of Speeds: 2

EA655



EA571




| Model No. | Description    | HP  | CFM High | Low  | Promo Price |
|-----------|----------------|-----|----------|------|-------------|
| EA657*    | 26" Pedestal   | 1/4 | 7700     | 6060 | 215.00      |
| EA571*    | 30" Pedestal   | 1/3 | 8000     | 7000 | 239.00      |
| EA655     | 26" Wall Mount | 1/4 | 7700     | 6060 | 179.00      |
| EA656     | 30" Wall Mount | 1/3 | 8000     | 7000 | 199.00      |

\* Features adjustable height and a heavy-duty round base for added stability

## INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 120 V
- All-metal construction
- Fully enclosed motor
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- Oscillating
- No. of Speeds: 2

EA645



EA643



| Model No. | Description    | HP  | CFM High | Low  | Promo Price |
|-----------|----------------|-----|----------|------|-------------|
| EA643*    | 24" Pedestal   | 1/4 | 11 800   | 7760 | 339.00      |
| EA647*    | 30" Pedestal   | 1/3 | 13 200   | 6700 | 379.00      |
| EA645     | 24" Wall Mount | 1/4 | 11 500   | 7680 | 289.00      |
| EA649     | 30" Wall Mount | 1/4 | 10 780   | 7760 | 319.00      |

\* Features adjustable height and a heavy-duty round base for added stability

## TURBO FAN

- Fan features vertical and horizontal tilt
- Equipped with 6 blades and carrying handle
- Fully assembled and ready to use
- Type: Floor
- Power: 130 W
- No. of Speeds: 3



| Model No. | Diameter" | Promo Price |
|-----------|-----------|-------------|
| EB117     | 20        | 62.95       |

Pricing in effect until August 31, 2020 or while quantities last. Taxes and freight extra.  
Prices are subject to change, and may vary without prior notice. Issue #SDW220042NA